

12/28/99
JCS 62 U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 1405.1014/JDH

First Named Inventor or Application Identifier:

Toru KAMIWADA, et al.

Express Mail Label No.

jc135 U.S. Pro
09/473049
12/28/99

APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents.</i>		ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> Fee Transmittal Form 2. <input checked="" type="checkbox"/> Specification, Claims & Abstract [Total Pages: <u>50</u>] 3. <input checked="" type="checkbox"/> Drawing(s) (35 USC 113) [Total Sheets: <u>11</u>] 4. <input checked="" type="checkbox"/> Oath or Declaration [Total Pages: <u>3</u>] a. <input checked="" type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) (<i>for continuation/divisional with Box 17 completed</i>) i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 5. <input type="checkbox"/> Incorporation by Reference (usable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein. 6. <input type="checkbox"/> Microfiche Computer Program (<i>Appendix</i>) 7. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission (<i>if applicable, all necessary</i>) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies		
ACCOMPANYING APPLICATION PARTS		
8. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s)) 9. <input type="checkbox"/> 37 CFR 3.73(b) Statement (<i>when there is an assignee</i>) <input checked="" type="checkbox"/> Power of Attorney 10. <input type="checkbox"/> English Translation Document (<i>if applicable</i>) 11. <input checked="" type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input checked="" type="checkbox"/> Copies of IDS Citations 12. <input type="checkbox"/> Preliminary Amendment 13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (<i>Should be specifically itemized</i>) 14. <input type="checkbox"/> Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, status still proper and desired. 15. <input checked="" type="checkbox"/> Certified Copy of Priority Document(s) (<i>if foreign priority is claimed</i>) 16. <input type="checkbox"/> Other:		
17. If a CONTINUING APPLICATION , check appropriate box and supply the requisite information: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No: _____ / _____		
18. CORRESPONDENCE ADDRESS STAAS & HALSEY, LLP Attn: James D. Halsey, Jr. 700 Eleventh Street, N.W., Suite 500 Washington, DC 20001		
Telephone: (202) 434-1500 Facsimile: (202) 434-1501		

**DOCUMENT DISPLAY APPARATUS AND METHOD
FOR DISPLAYING DOCUMENTS**

BACKGROUND OF THE INVENTION

5 **A. Field Of The Invention**

The present invention relates to a document display apparatus and a document display method, and more particularly relates to a document display apparatus and a document display method configured to display a plurality of groups of electronic documents that include text data, picture data and/or motion picture data, that are stored on electronic medium, each electronic document or group of documents having a specific structure or form.

10 **B. Description Of The Related Art**

When a plurality of electronic documents, such as text data, picture data and motion picture data, is managed and then displayed on a monitor in an information processing apparatus, such as a personal computer, the document group structure of each electronic document is managed and each electronic document is displayed based on this document group structure.

20 An example of a document group structure is a hyperlink structure based on hypertext wherein a link to another electronic document is embedded in an electronic document. In this hyperlink structure, each electronic

document holds structure information that defines the relative relevance to linked documents having display relevance, document group structure is constructed based on this structure information, and documents are displayed
5 in accordance with this document group structure.

In addition, there are also systems wherein the directory structure of a file system is defines the document group structure of a document group stored in that file system, and documents are displayed in accordance with the document group structure.

When browsing a plurality of electronic documents stored on an electronic medium, conventional document browsing programs display the contents of each electronic document on the display screen of the monitor based on an instruction input by the user or based on stored priorities. In this case, in a program having a function that simultaneously displays on the monitor the document group structure that includes a plurality of electronic documents, the document group structure is stored in a self-managed storage region, and this information is used
10 when displaying the electronic documents.
15

If there has been a display-related instruction transmitted from an input means like a keyboard or mouse, the document group structure being managed is scanned, the
20 need to display each electronic document is determined,
25

and the contents of documents that need to be displayed
are displayed in the display region.

Problems that the Invention is to Solve:

With such a document browsing program, in order to
determine whether to display each electronic document
stored in the electronic medium, it is necessary to scan
all document group structures being managed and to
determined whether to display of each electronic
documents.

Accordingly, when the number of electronic documents
being managed is enormous, a large storage region is
required for managing the document group structures, and a
prolonged calculation time is required for scanning the
document group structures.

For example, in a window system like X Window and
Microsoft Windows, a management program holds information
on all windows managed, scans the document group structure
of each window thereby forming a tree structure when
drawing the screen, and issues drawing commands. The size
of the structure that can be simultaneously managed by
this program is limited to by the amount of computer
resources needed by all windows. The computer resources
needed to manage the structure cannot exceed available
computer resources.

In addition, with a hyperlink structure based on

hypertext, some document group structures are not finite and it may not be possible for a computer system to manage the entire document group structure.

SUMMARY OF THE INVENTION

One object of the present invention is to provide a document display apparatus and a document display method that facilitate management of displayed documents with finite computer resources in cases where the number of electronic documents to be managed is enormous and a displayed document group has infinite structure information such as a hyperlink structure, where the response to display instructions is more rapid than prior art configurations.

The document display apparatus according to the present invention is a document display apparatus that manages a plurality of electronic documents that each hold, when a linked document having display relevancy exists, the relative relevancy to that linked document as structure information, determines the display priority of each electronic document, and displays each electronic document based on its display priority, provided with a structure storage means, a structure analysis means and a display means. The structure storage means can store the display priority of each electronic document. The structure analysis means determines the display priority

of each of the plurality of electronic documents based on
the structure information held by each of the plurality of
electronic documents, and stores them in the structure
storage means. The display means determines the display
method of each electronic document based on the display
priority determined by the structure analysis means.

Furthermore, there may preferably be an instruction
reception means that receives a display-related
instruction input, wherein based on the instruction input
received by the instruction reception means, the display
priority of each of the plurality of electronic documents
is recalculated by the structure analysis means and is
stored in the structure storage means.

In addition, from among the plurality of electronic
documents, only those whose display priority is a value
larger than a predetermined display set value are
displayed and other electronic documents are not
displayed.

Furthermore, the display means allocates computer
resources for displaying electronic documents from among
the plurality of electronic documents are managed in order
of largest display priority value such that each
electronic document whose display priority value is
smaller than that of the electronic document allocated
computer resources at the point in time when the available

computer resources became exhausted shall not be displayed.

In addition, the display means allocates computer resources to those electronic documents whose display priority is of a value larger than the display set value, in order of largest display priority value. However, each electronic document whose display priority value is smaller than that of the electronic document allocated computer resources at the point in time when the available computer resources became exhausted is not displayed.

Furthermore, the structure analysis means scans the linked document based on the structure information held by each electronic document, analyzes the document group structure and stores it in the structure storage means.

In addition, the structure analysis means does not scan linked documents of electronic documents whose display priority is a value smaller than a predetermined first set value.

Furthermore, the structure analysis means excludes electronic documents whose display priority is a value smaller than a predetermined second set value from the management target of the document group structure stored in the structure storage means, and releases computer resources needed for the management of those documents.

In accordance with another aspect of the present

invention, there is a document display method for managing
a plurality of electronic documents that each includes
structure information relating to a linked document having
display relevancy, the document display method for
5 determining the display priority of each electronic
document, and for displaying each electronic document on a
display apparatus based on its display priority, including
the steps of:

10 determining a starting point document to be used as a
starting point when analyzing the structure information of
the plurality of electronic documents;

15 analyzing the structure information of the starting
point document and calculate the display priority of each
the linked document group whose link source is included in
the starting point document;

specifying a display document to be displayed on the
display apparatus based on the display priority of the
linked document group;

20 specifying the document group constituent documents
that constitute the document group structure, add and
store that structure information in the document group
structure based on the display priority of the linked
document group whose link source is the starting point
document; and

25 searching for the electronic document that

constitutes a next starting point document based on the document group structure, wherein

the above steps are repeated, and scanning for displaying is terminated at the point in time when there are no longer any electronic documents that constitute the starting point document determined by the determining of a start point step.

In addition, in said step of determining a start point, the origin document with highest priority is specified as the first starting point document based on instruction input.

In addition, in the step of specifying a display document the display priority value of each electronic document of a linked document group linked to said starting point document is compared to a predetermined display set value such that all of these electronic documents having a display priority value greater than or equal to the predetermined display set value are set to be displayed on the display apparatus, and those electronic documents having a display priority value less than the predetermined display set value are not displayed on the display apparatus.

In addition, in the step of specifying a display document, computer resources are allocated for displaying determined electronic documents of the linked document

group whose link source is the starting point document,
and whose display priority value is greater than or equal
to said display set value, and each electronic document
whose display priority value is smaller than that of the
5 display priority value is not displayed on the display
apparatus.

In addition, in the step of specifying the document
group constituent documents the structure information of
electronic documents of the linked document group whose
link source is the starting point document having a
display priority value is smaller than the predetermined
first set value are not analyzed.

In addition, in the step of specifying the document
group constituent documents, computer resources needed for
managing electronic documents of the linked document group
whose link source is the starting point document having a
display priority value that is smaller than a
predetermined second set value are released.

For example, a display priority attribute is provided
20 for each electronic document. The display priority is
calculated based on the position at which that electronic
document is to be displayed, the area to be displayed, the
amount of calculations required for the display, the
display contents and the like. The elements required for
these calculations vary in accordance with the usage

conditions of the computer, and the display priority also varies accordingly. The higher the display priority value of an electronic document, the more computer resources needed for displaying must be allocated.

The electronic document among all electronic documents having the largest display priority value is set as the origin document, and the document group structure is scanned by analyzing the structure information in order from this origin document. In this scanning, electronic documents whose display priority value is greater than or equal to a predetermined display set value are set so that they will be displayed, and electronic documents whose display priority value is smaller than the display set value are only scanned for their document group structure as display target exceptions.

Whether to scan a linked document based on the structure information of each electronic document is also judged based on the display priority. Electronic documents whose display priority value is greater than or equal to a predetermined first set value are regarded as electronic documents wherein linked documents are scanned based on the structure information of the electronic documents, and electronic documents whose display priority value is smaller than the first set value are regarded as electronic documents wherein linked documents are not

scanned based on the structure information. The first set value is set to a value smaller than the display set value.

Electronic documents targeted for display by the scanning discussed above are allocated computer resources in order of largest display priority value, and even electronic documents targeted for display at the point in time when allocatable computer resources became exhausted are not actually displayed.

Furthermore, electronic documents whose display priority value is smaller than the second set value are excluded from the management target, and computer resources like the storage region needed for management are also released. The second set value is set to a value smaller than the first set value.

By adopting such a constitution, a partial structure in a fixed range in accordance with available computer resources can be made the management target and the number of documents to be actually displayed can be appropriately limited, even in cases such as when the number of documents in the electronic document group to be managed is enormous or when the document group structure is infinite. In addition, the partial document group structure to be managed can be varied appropriately according to the usage conditions of the program, and the

structure of the document group that is the display target
is not subject to limits on computer resources.

Furthermore, since computer resources not occupied by
electronic documents that need not be displayed are
5 appropriately released, it is possible to limit the
overall required computer resources.

These and other objects, features, aspects and
advantages of the present invention will become more fully
apparent from the following detailed description of the
present invention when taken in conjunction with the
accompanying drawings where like reference numerals denote
corresponding parts throughout.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a functional block diagram showing portions
of a computer system in accordance with one embodiment of
the present invention;

Figs. 2A, 2B and 2C are explanatory views showing
examples of images on a display screen of the computer
system depicted in Fig. 1;

20 Fig. 3 is a conceptual diagram showing document
management information;

Fig. 4 is a conceptual diagram showing document group
structure of the document management information depicted
in Fig. 3;

25 Fig. 5 is a control flowchart showing operational

steps in accordance with the present invention;

Fig. 6 is another control flowchart showing steps of a scan process for scanning information of document group structure;

5 Fig. 7 is another control flowchart showing steps of document analysis processing;

Fig. 8 is still another control flowchart showing steps of registration processing of priority level of document group structure;

10 Figs. 9A, 9B, 9C, 9D and 9E are diagrams showing an example of the relationships of portions of a scanned document group structure;

15 Figs. 10A, 10B, 10C, 10D and 10E are diagrams showing more details of the example of the relationships of portions of a scanned document group structure depicted in FIG. 9A; and

20 Figs. 11A, 11B, 11C, 11D, 11E, 11F and 11G are diagrams showing still further details of the example of the relationships of portions of a scanned document group structure depicted in FIGS. 9A and 10A.

DETAILED DESCRIPTION OF THE INVENTION

The following explains a computer software program that displays hypertext in accordance one embodiment of the present invention.

25 FIG. 1 is a functional block diagram showing various

elements of a document display apparatus employed in one embodiment for carrying out the present invention.

The document display apparatus includes a computer system 1 that is provided with a CPU, ROM, RAM, various interfaces and the like (not specifically depicted), an input apparatus 2, such as a keyboard or mouse, display device 3, such as a CRT display or liquid crystal display apparatus, external storage medium 4, wherein the contents of an electronic document group are stored, and the like are connected. External storage medium 4 is, for example, a disc drive having a large-capacity storage medium such as a hard disk, optical disks or DVD, or a storage medium of a host computer connected by the Internet, an Intranet or the like, via a respectively supported interface, modem, terminal adaptor (TA) or the like, to the computer system 1.

The computer system 1 includes: input processing module 11 that receives instructions input from input apparatus 2; a display module 12 for constructing images that are displayed on the display screen of the display device 3 and for outputting the images to display device 3; a document analysis module 13 for reading electronic documents stored in external storage medium 4 and for analyzing the document information thereof; and an internal storage apparatus 21 for storing various data.

The internal storage apparatus 21 is provided with: a view position information storage portion 22 that stores the view information related to the electronic document to be displayed on display device 3; a priority level information storage portion 23 that stores display priority data of the electronic document to be displayed on display device 3; and a document management information storage portion 24 that stores the structure information of the electronic document analyzed by document analysis module 13.

The view information management module 14 is connected to input processing module 11. In addition to reading and managing the view position information stored in view position information storage portion 22 of internal storage apparatus 21, the view information management module 14 also extracts the instruction information related to the view position on display device 3 from among the instruction inputs received when there have been instruction inputs from input apparatus 2, and the view information management module 14 updates the view position information and stores that information in view position information storage portion 22.

The document analysis module 13 reads an electronic document stored in external storage medium 4, analyzes the document information thereof, extracts the structure

information, such as the position information whose link source is another electronic document and the position information of another electronic document that is a link destination, and stores that information as document management information in document management information storage portion 24 of internal storage apparatus 21.

5

In addition, computer system 1 is provided with a document information management module 15. The document information management module 15 reads the document management information stored in document management information storage portion 24 of internal storage apparatus 21, updates the document management information based on the view position information stored in view position information storage portion 22, stores that information again in document management information storage portion 24, and sends the document management information to document analysis module 13 and priority level management module 16.

10

Priority level management module 16 reads the priority level information stored in priority level information storage portion 23 of internal storage apparatus 21, updates the priority level information based on the document management information managed by document information management module 15, updates the priority level information stored in priority level information

15

20

25

storage portion 23, and sends that priority level information to display module 12.

Display module 12 displays each electronic document on display device 3 based on the view position information stored in view position information storage portion 22, the document management information stored in document management information storage portion 24, and the priority level information managed by priority level management module 16.

The electronic documents stored in external storage medium 4 include text data, picture or image data, motion picture data and the like. FIGS. 2A, 2B and 2C show examples of such electronic documents displayed on the display device 3.

In FIG. 2A, first electronic document 100 is displayed in the center of display screen 31 of display device 3. First electronic document 100 includes text display portion 101, image data display portion 102, first link part 103 and second link part 104, wherein hyperlinks are embedded. First link part 103 and second link part 104, as linked documents, respectively correspond to second electronic document 200 and third electronic document 300.

FIG. 2B is the display screen of display device 3 wherein part of first electronic document 100, shown in

FIG. 2A, is enlarged. Therein, first link part 103 and second link part 104 are enlarged in the center. Second electronic document 200 and third electronic document 300 displayed in first link part 103 and second link part 104 can each be provided with a hyperlink structure, and the display contents, including the hyperlink part, are displayed enlarged corresponding to the enlargement of first electronic document 100. Furthermore, second electronic document 200 is provided with text display portion 201 and third link part 202 wherein a hyperlink is embedded, and third electronic document 300 is provided with text display portion 301 and fourth link part 302 wherein a hyperlink is embedded. A corresponding electronic document applies to third link part 202 and fourth link part 302, respectively, and the contents of electronic documents corresponding to these link parts can be displayed by further enlarging the display.

If the first electronic document in the center of second link part 104 is further enlarged, it appears as shown in FIG. 2C. Furthermore, third electronic document 300 displayed in second link part 104 is enlarged to an extent so that the contents thereof can be read on the screen, and fourth link part 302, wherein a hyperlink is embedded, can be manipulated on the screen. It should be understood that the enlarging process above may be any of

a variety of enlarging processes, including a zooming process as set forth in co-pending US Patent Application Number 09/407,376, which is incorporated herein by reference in its entirety.

5 In order to display images on the display device 3, the computer system 1 creates and manages document management information 501, as shown in FIG. 3, for each electronic document displayed on the display apparatus. The document management information 501 corresponds to an electronic document 500 displayed on display device 3. Document management information 501 includes document data 510 as a pointer that points to the actual electronic document 500 read into main storage.

In addition, other document information 540 is included in document management information 501. The other document information 540 includes pointers 541, 542, 543 that each correspond to document management information of the link destination electronic documents corresponding to the hyperlinks included in electronic document 500.

20 In addition, document management information 501 includes position information 530 that indicates at what position electronic document 500 exists in the link source document. Position information 530 indicates the relative position based on the link source document, and is defined

10
15
20
25

by the center coordinates (x, y) of the link destination document, with the center of the link source document as the origin, and size ratio m with respect to the link source document.

5 Furthermore, document management information 501 includes display priority 520 that indicates the priority used when displaying.

FIG. 4 shows one example of the document group structure for the case wherein electronic document 500 is displayed as the origin document. Document management information 501 of electronic document 500 includes other document information 540, and other document information 540 includes three link destination documents pointers 541, 542, 543.

Computer system 1 scans and manages document management information 601, 701, 801 for electronic documents 600, 700, 800 corresponding to pointers 541, 542, 543. It should be understood that the electronic document 500 is the link source document for the electronic documents 600, 700 and 800.

20 Document management information 601 of electronic document 600 includes document data 610 as a pointer that points to electronic document 600 that was read into main storage, display priority 620 that indicates the priority used when displaying electronic document 600, position

information 630 that indicates the relative position in
the link source document (in this case, electronic
document 500), and other document information 640 that is
a link destination document pointer. In the example shown
5 in FIG. 4, other document information 640 includes link
destination document pointer 641.

In addition, document management information 701 of
electronic document 700 likewise includes document data
710 as a pointer that points to electronic document 700
that was read into main storage, display priority 720 that
indicates the priority used when displaying electronic
document 700, position information 730 that indicates the
relative position in the link source document (in this
case, electronic document 500), and other document
information 740 that is a link destination document
pointer. In the example shown in FIG. 4, other document
information 740 includes link destination document
pointers 741, 742, 743, 744.

Furthermore, document management information 801 of
20 electronic document 800 includes document data 810 as a
pointer that points to electronic document 800 that was
read into main storage, display priority 820 that
indicates the priority used when displaying electronic
document 800, position information 830 that indicates the
relative position in the link source document (in this
25

case, electronic document 500), and other document information 840 that is a link destination document pointer. In the example shown in FIG. 4, other document information 840 includes link destination document pointers 841, 842.

The following explains the operation performed when displaying each electronic document managed, based on the drawings.

When the program in accordance with the present invention is activated in, for instance, a personal computer, the priority level information is initialized in Step S1 in FIG. 5. Furthermore, the priority level information of internal storage apparatus 21 is updated based on the document management information managed by document information management module 15. If instructions have been input by the user via input apparatus 2 at this time, the priority level information is updated based on this instruction input; if no instruction has been input, the priority level information is updated based on the default value and the like, or the value of priority level information storage portion 23 is maintained unaltered.

In Step S2, an origin document (or base document) to be displayed having a highest priority level is identified based on the priority level information stored in priority

level information storage portion 23 of the internal storage apparatus 21, and the document management information of the origin document is retrieved from document management information storage portion 24.

5 In Step S3, the document group structure is scanned, with the origin document specified in Step S2 as the first scan target, by tracing the document management information.

In step S4, a determination is made whether or not instructions have been input by the user from input apparatus 2 thereby changing the display status of the electronic document displayed on display device 3. If an instruction was input, processing transitions to Step S5. In Step S5, the view position information stored in view position information storage portion 22 of internal storage apparatus 21 based on the instruction input from the user is updated. Subsequently, processing transitions to Step S1.

20 The process of scanning the document group structure in Step S3 is described below with reference to FIG. 6.

In Step S11, document analysis processing is performed on the electronic documents that are the scanning targets to subsequently be displayed. FIG. 7 shows the document analysis processing in Step S11.

25 As shown in FIG. 7, at step S31 a determination is

made whether or not the electronic document that is the current scanning target was previously analyzed. If it is determined that the electronic document was previously analyzed, analysis processing of that document is
5 terminated. If it is determined that the electronic document that is currently the scanning target has not been analyzed, processing transitions to Step S32. In Step S32, the document data of the electronic document that is currently the scanning target is acquired from the electronic document group stored in external storage medium 4.

In Step S33, the link information in the document data is extracted. If links exist in the actual electronic document, the pointers to the link destination documents are successively added in Step S34 as other document information 540 (refer to FIG. 3) in document management information 501.

In Step S34, the position information of the electronic document is generated, and the position information is stored in document management information 501 as position information 530 (see FIGS. 3 and 4) at step S35. If the position information for the electronic document is not stored in the document management information, the information is obtained from the link source document and the position information is
20
25

determined. In addition, if the electronic document is
the origin document determined at the time of activation,
the coordinates (0, 0) and zoom ratio $m = 1$ relative to
the computer monitor display) are stored as the
5 predetermined position information, since no link source
document exists. Furthermore, the created document
management information 501 is stored in document
management information storage portion 24 of internal
storage apparatus 21 in step S35. Subsequently,
processing returns to Step S12 in FIG. 6.

In step S12 display priority p of the electronic
document that is the scanning target is calculated.
Furthermore, document information management module 15
reads position information 530 stored in document
15 management information storage portion 24 and the view
position information stored in view position information
storage portion 22, and sends that information to priority
level management module 16. Priority level management
module 16 converts position information 530, which is the
20 relative positional relationship with the link source
document, to a coordinate system the same as the origin
document based on the view position information, and
determines display priority p of the currently scanned
electronic document. Display priority p is stored in
25 document management information storage portion 24 as

display priority 520 in document management information
501 for the corresponding electronic document.

In step S13 it is determined whether or not display
priority p is greater than or equal to a first set value
5 P1. If display priority p is greater than or equal to the
first set value P1, processing transitions to Step S14.

Step S14 sets the display presets for the electronic
documents to be displayed, compares the priority level
with those of other electronic documents to be displayed
and registers the priority level information.

FIG. 8 shows the registration processing for the
priority level information in Step S14.

As shown in FIG. 8, at step S41 priority level k of
the electronic document that is the scanning target is
initialized. At step S42 a determination is made whether
or not there are designations of priority levels in
priority level information storage portion 23 in internal
storage apparatus 21. Furthermore, if there are no
priority level designations, processing transitions to
20 Step S46. Step S46 designates priority level k of the
electronic document in the priority level information, and
terminates the process. The priority level of the
electronic document is "1" at this time, and constitutes
the top level of the priority level information. If it is
25 determined in Step S42 that there is a designation of a

priority level, processing transitions to Step S43.

Step S43 reads from priority level information storage portion 23 the display priority of the electronic document whose priority level is the top or highest level, and sets it to Pt (priority = Pt). Step S44 compares display priority p of the electronic document that is the current scanning target with display priority Pt of the previously registered electronic documents. If display priority p of the electronic document that is the current scanning target is larger than display priority Pt of the previously registered electronic documents, processing transitions to Step S45.

Step S45 reduces, one at a time, the priority level of all electronic documents that have a priority level that is greater than display priority Pt. Subsequently, processing transitions to Step S46, the priority level of the electronic document that is the current scanning target is designated (and recorded), and processing terminates and returns to Fig. 6 step S14.

If it is determined in Step S44 that display priority p of the electronic document that is the current scanning target is less than display priority Pt of the previously registered electronic documents, processing transitions to Step S47. Step S47 increments upward priority level k of the electronic document that is the current scanning

target. In step S48 a determination is made whether or not the previously registered electronic document whose display priority was designated as Pt is the bottom level of the designated priority level information. If it is determined to be the bottom level, processing transitions to Step S46, the priority level of the electronic document that is the current scanning target is registered, and processing is terminated and returns to step S14 in Fig.

5. 6.

If it is determined in Step S48 that the previously registered document whose current display priority was designated as Pt is not the bottom level of the registered priority level information, processing transitions to Step S49. Step S49 reads from the priority level information registered in priority level information storage portion 23 the display priority for the electronic document of the next priority level, and designates its display priority to Pt. Subsequently, processing transitions to Step S44, and a portion of the process is executed again.

10 20 At this point in time, provisional priority level information of that electronic document is designated in priority level information storage portion 23 of internal storage apparatus 21.

15 25 If the registration processing of the priority level in Step S14 of FIG. 6 is completed, processing transitions

to Step S15. In step S15 a determination is made whether or not any link destination documents exist for the electronic document that is the current scanning target. If it is determined that no link destination documents exist, the process is terminated. In addition, if it is determined that link destination documents exist, processing transitions to Step S16.

In step S16 the document data of the link destination electronic document is read, based on other document information 540 of the electronic document that is the current scanning target. Step S17 executes the scanning process of the document group structure with the read-in link destination electronic document as the current scanning target electronic document.

In step S18 a determination is made whether or not scanning of the document group for all links has completed. If it is determined that scanning of the document group for all links is not completed, processing transitions to Step S16, and the process is executed for the next link destination document.

If display priority p is determined to be smaller than first set value P1 in Step S13, processing transitions to Step S19. In step S19 a determination is made as to whether or not display priority p is greater than or equal to a second set value P2. Furthermore, if

it is determined that display priority p is smaller than
the second set value P2, processing transitions to Step
S20. Step S20 excludes from the management target the
electronic document that is the current scanning target,
5 and releases the storage region wherein the document
management information of that electronic document is
stored, thereby freeing computer system resources.

Thus, electronic documents whose display priority p
is smaller than second set value P2 are excluded from the
management target of the storage region, and only those
that are management targets are registered in the priority
level information. At this point, the scan process is
recursively executed in Step S17 of FIG. 6 for the link
destination documents, and a document group structure is
constructed based on the display priority levels. As a
result, the priority level information is initialized when
the entire scan starts, each document information is
added, in order of highest display priority, at an
appropriate position as the scanning proceeds, which are
20 then arrayed and stored in order of highest display
priority.

As described above, when scanning of the document
group structure is done, computer resources are allocated
in accordance with the registered priority level
information. The document management information is
25

retrieved in order from the top level of the priority
level information, arrayed as a result of scanning of the
document group structure, and computer resources needed to
display the electronic document are allocated from
5 available computer resources. When the available
computer resources become exhausted, the allocation of
computer resources is terminated; furthermore, each
electronic document whose display priority value is less
than a determined display priority value at that point in
time is not displayed.

Further parameters for determining display levels can
also utilized. For example, a display set value P_0 that
is greater than or equal to P_1 ($P_0 \geq P_1$) may be utilized
and computer resources are not allocated for electronic
documents whose display priority p is less than the
display set value P_0 .

Thus, when the allocation of computer resources is
completed, electronic documents for which resources have
been allocated are displayed on display device 3. If
20 there is an instruction input via input apparatus 2 after
displaying, the view position information is updated via
view information management module 14 in accordance with
that input value. Since the display priority of each
electronic document changes based on changes in the view
position information, the document group structure is
25

scanned every time the view position information is updated and, based on the priority level information obtained as a result, computer resources are allocated to each electronic document and the screen of display device
5 3 is updated.

Further, during the scanning process of the document group structure, display priority p of each electronic document is compared with display set value P_0 , and electronic documents whose display priority p is larger than display set value P_t are preset as display target documents. FIG. 9 and subsequent drawings show the process wherein, by using this type of display preset processing, display target documents, scanning target documents and management target exception documents are set.
10
15

FIGS. 9A, 9B, 9C, 9D and 9E, FIGS. 10A, 10B, 10C, 10D and 10E and FIGS. 11A, 11B, 11C, 11D, 11E, 11F and 11B show one example of scanning a document group structure.

In FIG. 9A, the origin document is specified as
20 electronic document A.

In FIG. 9B, the link destination documents of electronic document A are scanned, the document data of electronic documents B and C are acquired, and their display priorities are examined. The display priorities of
25 the electronic documents B and C are greater than or equal

to the display set value P0, so the display level for display target documents are registered and ready for display.

In FIG. 9C, the document data for link destination documents D and E of electronic document B and the link destination documents F, G and H of electronic document C are acquired, and the display priority of each electronic document is examined. Furthermore, since the display priorities for link destination document E of electronic document B and link destination document F of electronic document C are greater than or equal to display set value P0, these are set as display target documents. These display target documents automatically become scanning target documents.

In addition, although the display priorities of link destination document D of electronic document B and link destination documents G and H of electronic document C are smaller than display set value P0, they are set as scanning target documents since their display priorities are smaller than the first set value P1.

In FIG. 9D, the link destination documents of electronic documents D, E, F, G and H are scanned, and the document data of electronic documents I, J, K, L, M, N and O are acquired. Among these, the display priorities of link destination document J of electronic document E and

link destination documents K and L of electronic document F are greater than or equal to first set value P1, and these are set as scanning target documents. In addition, since the display priorities of link destination document I of electronic document D, link destination document M of electronic document G and link destination documents N, O of electronic document H are smaller than the first set value, those link destination documents, as scanning target exception documents, are not scanned, and the document management information thereof is only stored in document management information storage portion 24. If the display priorities of electronic documents I, M, N and O, which are scanning target exceptions, are smaller than second set value P2, these documents are set as management target exception documents, and the storage area of internal storage apparatus 21 wherein the document management information thereof is stored is released. In other words, no system resources are allocated to store further information about electronic documents I, M, N and O.

In FIG. 9E, the link destination documents of electronic documents J, K, L are scanned, and the document data of electronic documents P, Q, R, S are obtained. Furthermore, the display priority of each electronic document P, Q, R, S is smaller than first set value P1,

and these electronic documents are set as scanning target exception documents. At this stage, there are no longer any scanning target documents, and scanning of the document group structure is terminated.

5 The following explanation is based on FIGS. 10A, 10B, 10C, 10D and 10E, in an example wherein the view position information is changed by an instruction input from the user, and the origin document is selected to be electronic document C.

010 First, as shown in FIG. 10A, the electronic document C is designated as the origin document.

015 As shown in FIG. 10B, the document data of the link destination documents of electronic document C are acquired, and the display priority of each link destination document F, G, H is examined. At this point, the electronic data of link source electronic document A are simultaneously acquired, and the display priority thereof is examined. Furthermore, the display priority of each electronic document A, F, G, H is greater than or 20 equal to display set value P0, and these electronic documents are set as display target documents.

25 Next, as shown in FIG. 10C, the link destination documents of electronic documents A, F, G and H are scanned, and the document data of electronic documents B, K, L, M and N are acquired. Furthermore, although the

display priority of each electronic document B, K, L, M
and N is smaller than display set value P0, these
electronic documents are set as scanning target documents
since their display priorities are greater than first set
5 value P1. In addition, since the display priority of
electronic document O, which is the link destination
document of electronic document H, is smaller than first
set value P1, it is set as a scanning target exception
document and no further system resources are allocated for
electronic document O.

Furthermore, as shown in FIG. 10D, the link
destination documents of each electronic document B, K, L,
M and N are scanned, and the document data of electronic
documents D, E, R, S, T, U and V are acquired.
Furthermore, the display priority of electronic document E
is greater than first set value P1, and that electronic
document is set as a scanning target document; however,
since the display priorities of other electronic documents
are smaller than the first set value, those electronic
20 documents are set as scanning target exception documents.

In FIG. 10E, the link destination document of
electronic document E is scanned, the document data of
electronic document J are acquired, and the display
priority thereof is examined. Furthermore, the display
25 priority of electronic document J is smaller than the

first set value, and that electronic document is set as a scanning target exception document. At this stage, there are no longer any electronic documents that constitute scanning targets, and scanning of the document group structure is terminated.

5

In the case of FIGS. 9A, 9B, 9C, 9D and 9E, wherein the origin document is electronic document A, electronic documents D and J are scanning target documents, and electronic documents I, P and Q, which are link destination documents thereof, constitute management target documents; however, by the moving of the origin document to electronic document C as shown in FIGS. 10A, 10B, 10C, 10D and 10E, electronic documents D and J become scanning target exception documents, and electronic documents I, P and Q are excluded from the management target. In addition, in the example shown in FIGS. 9A, 9B, 9C, 9D and 9E, electronic documents M and N were scanning target exceptions; however, in the example shown in FIGS. 10A, 10B, 10C, 10D and 10E, these electronic documents M and N are set as scanning target documents, and electronic documents T, U and V, which are the link destination documents of electronic documents M and N, become management target documents.

10

15

20

25

Furthermore, FIGS. 11A, 11B, 11C, 11D, 11E, 11F and

25

11G all show a further example of scanning for the case

wherein the origin document has moved to electronic document F.

As shown in FIG. 11A, the origin document is specified as electronic document F and, as shown FIG. 11B, 5 the document data of link destination documents K and L and link source document C of electronic document F are scanned. Furthermore, the display priority of each electronic document C, K and L is larger than the display set value, and these electronic documents are set as display target documents.

Furthermore, as shown in FIG. 11C, electronic 10 documents C, K and L are scanned, and the document data of the link destination documents and link source documents are acquired. Furthermore, the display priority of 15 electronic document G is greater than display set value P0, and that electronic document is set as a display target document; in addition, since the display priority of each electronic document A, H, R and S is smaller than display set value P0 and greater than first set value P1, 20 those electronic documents are set as scanning target documents.

As shown in FIG. 11D, electronic documents A, G, H, R and S, which are display target documents and scanning 25 target documents, are scanned, and the document data of link destination documents B, M, N, O, W, X and Y are

acquired. Furthermore, link destination document B of electronic document A and link destination document M of electronic document G are set as scanning target documents, and the other electronic documents N, O, W, X and Y are set as scanning target exception documents.

In FIG. 11E, electronic documents B and M are scanned, and the document data of link destination documents D, E and T are acquired. Furthermore, electronic documents D and T are set as scanning target exception documents, and electronic document E is set as a display target document since its display priority is larger than display set value P0.

In FIG. 11F, electronic document E is scanned, and link destination document J is set as a scanning target document.

Furthermore, in FIG. 11G, electronic document J is scanned, and link destination documents P and Q are set as scanning target exception documents.

Thus, if the document group structure is scanned by tracing the links from origin document F, electronic document E at a position where the route is long may be set as a display target document due to its display priority. In addition, there is a possibility that the peripheral electronic documents (link destination documents) of such an electronic document may be set as

scanning target documents.

Effects of the Invention

The present invention facilitates management with finite computer resources in cases where the number of electronic documents to be managed is enormous and when displaying a document group having infinite structure information such as a hyperlink structure, and can respond rapidly to display instructions.

Various details of the invention may be changed without departing from its spirit nor its scope. Furthermore, the foregoing description of the embodiments according to the present invention is provided for the purpose of illustration only, and not for the purpose of limiting the invention as defined by the appended claims and their equivalents.

WHAT IS CLAIMED IS:

1. A document display apparatus that manages a plurality of electronic documents that each hold, when a linked document having display relevancy exists, the relative relevancy to that linked document as structure information, determines the display priority of each electronic document, and displays each electronic document based on its display priority, provided with:

a structure storage means for storing the display priority of each said electronic document;

a structure analysis means for determining the display priority of each of said plurality of electronic documents based on the structure information held by each of said plurality of electronic documents, and stores them in said structure storage means; and

a display means for determining the display method of each electronic document based on the display priority determined by said structure analysis means.

2. The document display apparatus according to
20 Claim 1, further having:

an instruction reception means for receiving a display-related instruction input, wherein

based on the instruction input received by said instruction reception means, the display priority of each of said plurality of electronic documents is recalculated

by said structure analysis means and is stored in said structure storage means.

3. The document display apparatus according to
Claim 2, wherein said display means displays only ones of
5 said plurality of electronic documents whose display priority is a value larger than a predetermined display set value.

4. The document display apparatus according to
Claim 2, wherein

10 said display means allocates computer resources for displaying determined ones of said plurality of electronic documents in order of largest display priority value, and each of said electronic document having a corresponding display priority value that is smaller than a predetermined value are not displayed.

15 5. The document display apparatus according to
Claim 3, wherein said display means allocates computer resources to ones of said electronic documents having a display priority value that is larger than said display set value, in order of largest display priority value, and each electronic document whose display priority value is smaller than a predetermined value are not displayed.

20 25 6. The document display apparatus according to
Claim 1, wherein said structure analysis means scans each linked document based on the structure information held by

an origin electronic document, analyzes the document group structure and stores information corresponding to the document group structure in said structure storage means.

7. The document display apparatus according to
5 Claim 6, wherein said structure analysis means does not scan linked documents of electronic documents having a display priority having a value that is smaller than a predetermined first set value.

8. The document display apparatus according to
Claim 7, wherein

said structure analysis means excludes electronic documents whose display priority has a value smaller than a predetermined second set value from the management target of the document group structure stored in said structure storage means, and releases computer resources needed for the management of those documents.

9. A document display method for managing a plurality of electronic documents that each include structure information relating to a linked document having display relevancy, the document display method for determining the display priority of each electronic document, and for displaying each electronic document on a display apparatus based on its display priority, provided with:

25 determining a starting point document to be used as a

starting point when analyzing the structure information of
the plurality of electronic documents;

analyzing the structure information of the starting
point document and calculate the display priority of each
5 the linked document group whose link source is included in
the starting point document;

specifying a display document to be displayed on the
display apparatus based on the display priority of the
linked document group;

specifying the document group constituent documents
that constitute the document group structure, add and
store that structure information in the document group
structure based on the display priority of the linked
document group whose link source is the starting point
document; and

searching for the electronic document that
constitutes a next starting point document based on the
document group structure, wherein

the above steps are repeated, and scanning for
20 displaying is terminated at the point in time when there
are no longer any electronic documents that constitute the
starting point document determined by the determining of a
start point step.

10. The document display method according to Claim
25 9, wherein

in said step of determining a start point, the origin document with highest priority is specified as the first starting point document based on instruction input.

11. The document display method according to Claim
5 10, wherein in said step of specifying a display document the display priority value of each electronic document of a linked document group linked to said starting point document is compared to a predetermined display set value such that all of these electronic documents having a display priority value greater than or equal to the predetermined display set value are set to be displayed on the display apparatus, and those electronic documents having a display priority value less than the predetermined display set value are not displayed on the display apparatus.

12. The document display method according to Claim
11, wherein said step of specifying a display document, computer resources are allocated for displaying determined electronic documents of the linked document group whose link source is the starting point document, and whose display priority value is greater than or equal to said display set value, and each electronic document whose display priority value is smaller than that of the display priority value is not displayed on the display apparatus.

25 13. The document display method according to Claim

12, wherein in said step of specifying the document group constituent documents the structure information of electronic documents of the linked document group whose link source is the starting point document having a
5 display priority value is smaller than the predetermined first set value are not analyzed.

14. The document display method according to Claim 12, wherein in said step of specifying the document group constituent documents, computer resources needed for managing electronic documents of the linked document group whose link source is the starting point document having a display priority value that is smaller than a predetermined second set value are released.

15 15. A document display method for displaying a first electronic document and a second electronic document, the first electronic document having a information related to the second electronic document, the method comprising the steps of:

20 displaying the first electronic document on a computer display;

overlaid an image on the first electronic document corresponding to the second electronic document at a predetermined positioned defined in the first electronic document;

25 resizing the first electronic document and the image

corresponding to the second electronic document such that
the first electronic document and the image of the second
electronic document change size proportionally with
respect to one another, said resizing step being in
5 response to user input or computer commands; and

further displaying the resized first electronic
document and overlaying the resized image corresponding to
the second document on the computer display maintaining
relative positions between the first and second electronic
documents in accordance with the predetermined position.

16. The document display method as set forth in
claim 15 wherein:

in said overlaying step, further overlaying an image
corresponding to a third electronic document on the first
electronic document at a predetermined positioned defined
in the first electronic document;

in said resizing step, further resizing the image
corresponding to the third electronic document
proportionally with the resizing of the first and second
20 electronic documents; and

in said further displaying step, overlaying the
resized image corresponding to the third electronic
document on the first electronic document maintaining
relative positions between the first and third electronic
25 documents in accordance with the predetermined position of

the third electronic document relative to the first electronic document.

17. A document display apparatus for displaying a first electronic document and a second electronic document, the first electronic document having a information related to the second electronic document, the apparatus comprising:

means for determining display priority of the first and second electronic document;

means for displaying the first electronic document on a computer display;

means for overlaying an image on the first electronic document corresponding to the second electronic document at a predetermined positioned defined in the first electronic document;

means for resizing the first electronic document and the image corresponding to the second electronic document in response to computer and/or user commands such that the size of the first electronic document and the size of the image of the second electronic document change proportionally with respect to one another; and

means for further displaying the resized first electronic document and overlaying the resized image corresponding to the second document on the computer display maintaining relative positions between the first

and second electronic documents in accordance with the predetermined position.

ABSTRACT OF THE DISCLOSURE

A document display apparatus analyzes document data of electronic documents that are scanning targets (Step S11), calculates a display priority p (Step S12), registers it as priority level information if it is greater than or equal to first set value P1 (Step S14), further scans the document structure of those electronic documents if they have link destination documents (Step S17), and releases storage region of document management information if display priority p is smaller than second set value P2 (Step 20) in order to better manage finite computer system resources.

10
5
4
3
2
1

Fig. 1




Fig. 2A




Fig. 2B




Fig. 2C




Fig.3




Fig.4




Fig.5




Fig.6




Fig. 7




Fig.8




Fig.9A



ORIGIN DOCUMENT



DISPLAY TARGET DOCUMENT



SCANNING TARGET DOCUMENT



SCANNING TARGET EXCEPTION DOCUMENT

Fig.9B

Fig.9C

Fig.9D

Fig.9E





Fig. 10A



Fig. 10B




Fig. 10C




Fig. 10D






Fig. 10E





Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

DOCUMENT DISPLAY APPARATUS AND METHOD FOR DISPLAYING DOCUMENTS

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

the specification of which is attached hereto unless the following box is checked:

一月一日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、
(該当する場合) _____ に訂正されました。

was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるおり、特許資格の有無について重要な情報を提示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration (日本語宣言書)

私は、米国法典第35編119条(a) - (d)項又は365条(b)項に基づく、米国以外の国の少なくとも一ヵ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

11-003033(Number)
(番号)Japan(Country)
(国名)**Priority Not Claimed**

優先権主張なし

08/01/99(Day/Month/Year Filed)
(出願年月日)(Day/Month/Year Filed)
(出願年月日)

私は、第35編米国法典119条(e)項に基いて下記の米国特許出願規定に記載された権利をここに主張いたします。

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

私は、下記の米国法典第35編120条に基いて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)

(Application No.) (出願番号)	(Filing Date) (出願日)
-----------------------------	------------------------

(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じるところに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration

(日本語宣言書)

委任状： 私は下記の発明者として、本出願に関する一切の手続を米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。（弁護士、または代理人の氏名及び登録番号を明記のこと）

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

James D. Halsey, Jr., 22,729; Harry John Staas, 22,010, David M. Pitcher, 25,908; John C. Garvey, 28,607; J. Randall Beckers, 30,358; William F. Herbert, 31,024; Richard A. Gollhofer, 31,106; Mark J. Henry, 36,162; Gene M. Garner II, 34,172; Michael D. Stein, 37,240; Paul I. Kravetz, 35,230; Gerald P. Joyce, III, 37,648; Todd E. Marlette, 35,269; Harlan B. Williams, Jr., 34,756; George N. Stevens, 36,938; Michael C. Soldner, 41,455; Norman L. Ourada, 41,235; Kevin R. Spivak, P-43,148; and William M. Schertler, 35,348 (agent)

書類送付先

Send Correspondence to:

STAAS & HALSEY
700 Eleventh Street, N.W.
Suite 500
Washington, D.C. 20001

直接電話連絡先：（名前及び電話番号）

Direct Telephone Calls to: (name and telephone number)

STAAS & HALSEY
(202) 434-1500

唯一または第一発明者名

Full name of sole or first inventor

Toru KAMIWADA

発明者の署名 日付

Inventor's signature

Date

Toru Kamiwada

December 22, 1999

住所

Residence

c/o FUJITSU LIMITED

1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki-shi, Kanagawa 211-8588, Japan

国籍

Citizenship

Japan

私書箱

Post Office Address

same as above

第二共同発明者

Full name of second joint inventor, if any

Takushi FUJITA

第二共同発明者 日付

Second inventor's signature

Date

Takushi Fujita

December 22, 1999

住所

Residence

c/o FUJITSU LIMITED

1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki-shi, Kanagawa 211-8588, Japan

国籍

Citizenship

Japan

私書箱

Post Office Address

same as above

(第三以降の共同発明者についても同様に記載し、署名をすること)

(Supply similar information and signature for third and subsequent joint inventors.)